



**DESCRIPTION**

Boston Blend™ Ashlar Thin Veneer is taller than Ledgerstone veneer with a roughly rectangular shape. The stone face has been split revealing the vibrant and more varied colors of the stones inner grain. Colors consist of dark gray, white, beige, light gray, and blue. Sold as individual stones not stone panels. For product testing data visit [www.stoneyard.com/astm](http://www.stoneyard.com/astm).

**DIMENSIONS**

- Height:** 3–7 inches
- Length:** 4–14 inches
- Thickness:** 1 inch +/- ¼ inch
- Weight:** Less than 14 lbs per SF

**PACKAGING**

- Flat Crate:** 168 SF (SKU# VTAFFW)
- Flat Box:** 5 SF (SKU# VTAFBS)
- Corner Crate:** 150 LF (SKU# VTAFCW)
- Corner ½ Crate:** 75 LF (SKU# VTAFCH)
- Corner Box:** 5 LF (SKU# VTAFCS)


**PROFILE**

- Colors:** Gray, tan, white, beige, blue, pink, black
- Finish:** Split, textured face



**APPLICATIONS**

This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest hot, cold, or wet climates. Perfect for interior and exterior use in all regions including applications below grade. Suitable for use near salt water, water features, and in areas where blowing sand is a concern. [www.stoneyard.com/hca](http://www.stoneyard.com/hca)

**FLAT DETAIL**



**CORNER DETAIL**



**INSTALLATION**

Thin Veneer installation information is available on our website [www.stoneyard.com/install](http://www.stoneyard.com/install). A mock-up is recommended to help in all design decisions including grout color, joint size (dry-laid, standard, or wide), and desired finish. [www.stoneyard.com/mortar](http://www.stoneyard.com/mortar)

**LEED® CERTIFICATION & ENERGY EFFICIENCY**

Whether it's for a commercial building or historical restoration, this natural building material can assist with the LEED certification. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency. [www.stoneyard.com/architect](http://www.stoneyard.com/architect)

**CORNERS**

Matching 90° corners are available in all colors and shapes. When other angles are needed, the installation options are weaving (alternating flats) or miter cutting flat pieces to wrap the corner. [www.stoneyard.com/corner](http://www.stoneyard.com/corner)

*Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.*



## DESCRIPTION

Colonial Tan™ Ashlar Thin Veneer is taller than Ledgerstone veneer with a roughly rectangular shape. Its face has been split revealing the vibrant and more varied colors of the inside grain of the stone. Colonial Tan™ is a natural stone that consists of radiant browns, beiges, tans, and light grays accentuated by gold and silver specks. These earthy tan colors give your project a fresh, unmistakable look. Sold as individual stones not stone panels

## DIMENSIONS

**Height:** 3–7 inches  
**Length:** 4–14 inches  
**Thickness:** 1 inch +/- ¼ inch  
**Weight:** Less than 14 lbs per SF

## PACKAGING

**Flat Crate:** 168 SF (SKU# VTACFW)  
**Flat Box:** 5 SF (SKU# VTACFS)  
**Corner Crate:** 150 LF (SKU# VTACCW)  
**Corner ½ Crate:** 75 LF (SKU# VTACCH)  
**Corner Box:** 5 LF (SKU# VTACCS)


## PROFILE

**Colors:** Brown, beige, tan, gold, light gray  
**Finish:** Split, textured face



## APPLICATIONS

This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest hot, cold, or wet climates. Perfect for interior and exterior use in all regions including applications below grade. Suitable for use near salt water, water features, and in areas where blowing sand is a concern. [www.stoneyard.com/hca](http://www.stoneyard.com/hca)

## FLAT DETAIL



## CORNER DETAIL



## INSTALLATION

Thin Veneer installation information is available on our website [www.stoneyard.com/install](http://www.stoneyard.com/install). A mock-up is recommended to help in all design decisions including grout color, joint size (dry-laid, standard, or wide), and desired finish. [www.stoneyard.com/mortar](http://www.stoneyard.com/mortar)

## LEED® CERTIFICATION & ENERGY EFFICIENCY

Whether it's for a commercial building or historical restoration, this natural building material can assist with the LEED certification. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency. [www.stoneyard.com/architect](http://www.stoneyard.com/architect)

## CORNERS

Matching 90° corners are available in all colors and shapes. When other angles are needed, the installation options are weaving (alternating flats) or miter cutting flat pieces to wrap the corner. [www.stoneyard.com/corner](http://www.stoneyard.com/corner)

Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.



## DESCRIPTION

Ashlar Face Veneer is taller than Ledgerstone veneer with a roughly rectangular shape. Its face shows that the stone has been split apart, revealing the vibrant and more varied colors of the inside grain of the stone. Rustic Tan™ is a real stone from New England that has been cut thin. It boasts radiant colors including gold, orange, yellow, white, and black. Sold as individual stones not stone panels.

## DIMENSIONS

**Height:** 3–7 inches  
**Length:** 4–14 inches  
**Thickness:** 1 inch +/- ¼ inch  
**Weight:** Less than 14 lbs per SF

## PACKAGING

**Flat Crate:** 168 SF (SKU# VTARFW)  
**Flat Box:** 5 SF (SKU# VTARFS)  
**Corner Crate:** 150 LF (SKU# VTARCW)  
**Corner ½ Crate:** 75 LF (SKU# VTARCH)  
**Corner Box:** 5 LF (SKU# VTARCS)


## PROFILE

**Colors:** Gold, orange, tan, black, and white  
**Finish:** Split, textured face



## APPLICATIONS

This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest hot, cold, or wet climates. Perfect for interior and exterior use in all regions including applications below grade. Suitable for use near salt water, water features, and in areas where blowing sand is a concern.  
[www.stoneyard.com/hca](http://www.stoneyard.com/hca)

## FLAT DETAIL



## CORNER DETAIL



Plan View

## INSTALLATION

Thin Veneer installation information is available on our website [www.stoneyard.com/install](http://www.stoneyard.com/install). A mock-up is recommended to help in all design decisions including grout color, joint size (dry-laid, standard, or wide), and desired finish.  
[www.stoneyard.com/mortar](http://www.stoneyard.com/mortar)

## LEED® CERTIFICATION & ENERGY EFFICIENCY

Whether it's for a commercial building or historical restoration, this natural building material can assist with the LEED certification. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency.  
[www.stoneyard.com/architect](http://www.stoneyard.com/architect)

## CORNERS

Matching 90° corners are available in all colors and shapes. When other angles are needed, the installation options are weaving (alternating flats) or miter cutting flat pieces to wrap the corner.  
[www.stoneyard.com/corner](http://www.stoneyard.com/corner)

Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.



## DESCRIPTION

Newport Mist™ Ashlar Thin Veneer is taller than Ledgestone veneer with a roughly rectangular shape. Its face has been split revealing the vibrant and more varied colors of the inside grain of the stone. Newport Mist is a natural stone with silvers, grays, and whites. Sold as individual stones not stone panels

## DIMENSIONS

**Height:** 3–7 inches  
**Length:** 4–14 inches  
**Thickness:** 1 inch +/- ¼ inch  
**Weight:** Less than 14 lbs per SF

## PACKAGING

**Flat Crate:** 168 SF (SKU# VTAMFW)  
**Flat Box:** 5 SF (SKU# VTAMFS)  
**Corner Crate:** 150 LF (SKU# VTAMCW)  
**Corner ½ Crate:** 75 LF (SKU# VTAMCH)  
**Corner Box:** 5 LF (SKU# VTAMCS)


## PROFILE

**Colors:** Light Gray, silver, white, tan, blue  
**Finish:** Split, textured face



## APPLICATIONS

This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest hot, cold, or wet climates. Perfect for interior and exterior use in all regions including applications below grade. Suitable for use near salt water, water features, and in areas where blowing sand is a concern. [www.stoneyard.com/hca](http://www.stoneyard.com/hca)

## FLAT DETAIL



## CORNER DETAIL



## INSTALLATION

Thin Veneer installation information is available on our website [www.stoneyard.com/install](http://www.stoneyard.com/install). A mock-up is recommended to help in all design decisions including grout color, joint size (dry-laid, standard, or wide), and desired finish. [www.stoneyard.com/mortar](http://www.stoneyard.com/mortar)

## LEED® CERTIFICATION & ENERGY EFFICIENCY

Whether it's for a commercial building or historical restoration, this natural building material can assist with the LEED certification. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency. [www.stoneyard.com/architect](http://www.stoneyard.com/architect)

## CORNERS

Matching 90° corners are available in all colors and shapes. When other angles are needed, the installation options are weaving (alternating flats) or miter cutting flat pieces to wrap the corner. [www.stoneyard.com/corner](http://www.stoneyard.com/corner)

Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.



## DESCRIPTION

Portsmouth Granite™ Ashlar Thin Veneer is taller than Ledgestone veneer with a roughly rectangular shape. Its face has been split revealing the vibrant and more varied colors of the inside grain of the stone. Portsmouth Granite is a real stone from New England that has been cut thin. Sold as individual stones not stone panels.

## DIMENSIONS

**Height:** 3–7 inches  
**Length:** 4–14 inches  
**Thickness:** 1 inch +/- ¼ inch  
**Weight:** Less than 14 lbs per SF

## PACKAGING

**Flat Crate:** 168 SF (SKU# VTATFW)  
**Flat Box:** 5 SF (SKU# VTATFS)  
**Corner Crate:** 150 LF (SKU# VTATCW)  
**Corner ½ Crate:** 75 LF (SKU# VTATCH)  
**Corner Box:** 5 LF (SKU# VTATCS)


## PROFILE

**Colors:** Light gray, black, white, beige, tan, and blue  
**Finish:** Split, textured face



## APPLICATIONS

This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest hot, cold, or wet climates. Perfect for interior and exterior use in all regions including applications below grade. Suitable for use near salt water, water features, and in areas where blowing sand is a concern.  
[www.stoneyard.com/hca](http://www.stoneyard.com/hca)

## FLAT DETAIL



## CORNER DETAIL



## INSTALLATION

Thin Veneer installation information is available on our website [www.stoneyard.com/install](http://www.stoneyard.com/install). A mock-up is recommended to help in all design decisions including grout color, joint size (dry-laid, standard, or wide), and desired finish.  
[www.stoneyard.com/mortar](http://www.stoneyard.com/mortar)

## LEED® CERTIFICATION & ENERGY EFFICIENCY

Whether it's for a commercial building or historical restoration, this natural building material can assist with the LEED certification. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency.  
[www.stoneyard.com/architect](http://www.stoneyard.com/architect)

## CORNERS

Matching 90° corners are available in all colors and shapes. When other angles are needed, the installation options are weaving (alternating flats) or miter cutting flat pieces to wrap the corner.  
[www.stoneyard.com/corner](http://www.stoneyard.com/corner)

Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.



## DESCRIPTION

Ashlar Face Veneer is taller than Ledgerstone veneer with a roughly rectangular shape. Its face shows that the stone has been split apart, revealing the vibrant and more varied colors of the inside grain of the stone. Oyster Bay™ is a natural, thin cut stone consisting of deep grays, blue, black, and white with subtle hits of beige. Sold as individual stones not stone panels.

## DIMENSIONS

**Height:** 3–7 inches  
**Length:** 4–14 inches  
**Thickness:** 1 inch +/- ¼ inch  
**Weight:** Less than 14 lbs per SF

## PACKAGING

**Flat Crate:** 168 SF (SKU# VTABFW)  
**Flat Box:** 5 SF (SKU# VTABFS)  
**Corner Crate:** 150 LF (SKU# VTABCW)  
**Corner ½ Crate:** 75 LF (SKU# VTABCH)  
**Corner Box:** 5 LF (SKU# VTABCS)


## PROFILE

**Colors:** Black, gray, blue, beige, and white  
**Finish:** Split, textured face



## APPLICATIONS

This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest hot, cold, or wet climates. Perfect for interior and exterior use in all regions including applications below grade. Suitable for use near salt water, water features, and in areas where blowing sand is a concern. [www.stoneyard.com/hca](http://www.stoneyard.com/hca)

### FLAT DETAIL



### CORNER DETAIL



## INSTALLATION

Thin Veneer installation information is available on our website [www.stoneyard.com/install](http://www.stoneyard.com/install). A mock-up is recommended to help in all design decisions including grout color, joint size (dry-laid, standard, or wide), and desired finish. [www.stoneyard.com/mortar](http://www.stoneyard.com/mortar)

## LEED® CERTIFICATION & ENERGY EFFICIENCY

Whether it's for a commercial building or historical restoration, this natural building material can assist with the LEED certification. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency. [www.stoneyard.com/architect](http://www.stoneyard.com/architect)

## CORNERS

Matching 90° corners are available in all colors and shapes. When other angles are needed, the installation options are weaving (alternating flats) or miter cutting flat pieces to wrap the corner. [www.stoneyard.com/corner](http://www.stoneyard.com/corner)

Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.



## DESCRIPTION

Vineyard Granite™ Ashlar Thin Veneer is taller than LedgeStone veneer with a roughly rectangular shape. Its face has been split revealing the vibrant and more varied colors of the inside grain of the stone. Vineyard Granite™ is a coarse grain stone indigenous to the central core of New England mountain ranges. It is predominantly gray, black and white with splendid crystals of peach and pink. Sold as individual stones not stone panels

## DIMENSIONS

**Height:** 3–7 inches  
**Length:** 4–14 inches  
**Thickness:** 1 inch +/- ¼ inch  
**Weight:** Less than 14 lbs per SF

## PACKAGING

**Flat Crate:** 168 SF (SKU# VTANFW)  
**Flat Box:** 5 SF (SKU# VTANFS)  
**Corner Crate:** 150 LF (SKU# VTANCW)  
**Corner ½ Crate:** 75 LF (SKU# VTANCH)  
**Corner Box:** 5 LF (SKU# VTANCS)


## PROFILE

**Colors:** Dark gray, black, white, pink, red, purple  
**Finish:** Split, textured face



## APPLICATIONS

This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest hot, cold, or wet climates. Perfect for interior and exterior use in all regions including applications below grade. Suitable for use near salt water, water features, and in areas where blowing sand is a concern. [www.stoneyard.com/hca](http://www.stoneyard.com/hca)

## FLAT DETAIL



## CORNER DETAIL



## INSTALLATION

Thin Veneer installation information is available on our website [www.stoneyard.com/install](http://www.stoneyard.com/install). A mock-up is recommended to help in all design decisions including grout color, joint size (dry-laid, standard, or wide), and desired finish. [www.stoneyard.com/mortar](http://www.stoneyard.com/mortar)

## LEED® CERTIFICATION & ENERGY EFFICIENCY

Whether it's for a commercial building or historical restoration, this natural building material can assist with the LEED certification. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency. [www.stoneyard.com/architect](http://www.stoneyard.com/architect)

## CORNERS

Matching 90° corners are available in all colors and shapes. When other angles are needed, the installation options are weaving (alternating flats) or miter cutting flat pieces to wrap the corner. [www.stoneyard.com/corner](http://www.stoneyard.com/corner)

Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.



## DESCRIPTION

Greenwich Gray™ Ashlar Thin Veneer is a natural stone with consistent steel blue and gray coloring. Subtle stripes of white and green add character and depth. Ashlar Face Veneer is taller than LedgeStone veneer with a roughly rectangular shape. Its face shows the vibrant color of the inside grain of the stone. Sold as individual stones not stone panels.

## DIMENSIONS

**Height:** 3–7 inches  
**Length:** 4–14 inches  
**Thickness:** 1 inch +/- ¼ inch  
**Weight:** Less than 14 lbs per SF

## PACKAGING

**Flat Crate:** 168 SF (SKU# VTAGFW)  
**Flat Box:** 5 SF (SKU# VTAGFS)  
**Corner Crate:** 150 LF (SKU# VTAGCW)  
**Corner ½ Crate:** 75 LF (SKU# VTAGCH)  
**Corner Box:** 5 LF (SKU# VTAGCS)


## PROFILE

**Colors:** Gray, blue, white, green  
**Finish:** Split, textured face



## APPLICATIONS

This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest hot, cold, or wet climates. Perfect for interior and exterior use in all regions including applications below grade. Suitable for use near salt water, water features, and in areas where blowing sand is a concern. [www.stoneyard.com/hca](http://www.stoneyard.com/hca)

## FLAT DETAIL



## CORNER DETAIL



Plan View

## INSTALLATION

Thin Veneer installation information is available on our website [www.stoneyard.com/install](http://www.stoneyard.com/install). A mock-up is recommended to help in all design decisions including grout color, joint size (dry-laid, standard, or wide), and desired finish. [www.stoneyard.com/mortar](http://www.stoneyard.com/mortar)

## LEED® CERTIFICATION & ENERGY EFFICIENCY

Whether it's for a commercial building or historical restoration, this natural building material can assist with the LEED certification. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency. [www.stoneyard.com/architect](http://www.stoneyard.com/architect)

## CORNERS

Matching 90° corners are available in all colors and shapes. When other angles are needed, the installation options are weaving (alternating flats) or miter cutting flat pieces to wrap the corner. [www.stoneyard.com/corner](http://www.stoneyard.com/corner)

Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.