



DESCRIPTION

Boston Blend™ LedgeStone Thin Veneer consists of a wide range of colors including gray, white, tan, pink, and black. The LedgeStone pattern of stone veneer consists of thin strips of natural stone. Sold as individual stones not stone panels. For product testing data visit www.stoneyard.com/astm.

DIMENSIONS

- Height:** 1-4 inches
- Length:** 4-12 inches
- Thickness:** 1 inch +/- ¼ inch
- Weight:** Less than 14 lbs per SF

PACKAGING

- Flat Crate:** 168 SF (SKU# VTLFFW)
- Flat Box:** 5 SF (SKU# VTLFFS)
- Corner Crate:** 150 LF (SKU# VTLFCW)
- Corner ½ Crate:** 75 LF (SKU# VTLFCH)
- Corner Box:** 5 LF (SKU# VTLFCS)


PROFILE

- Colors:** Gray, tan, white, beige, blue, pink, black
- Finish:** Split, textured face



APPLICATIONS

This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest hot, cold, or wet climates. Perfect for interior and exterior use in all regions including applications below grade. Suitable for use near salt water, water features, and in areas where blowing sand is a concern. www.stoneyard.com/hca

FLAT DETAIL



CORNER DETAIL



INSTALLATION

Thin Veneer installation information is available on our website www.stoneyard.com/install. A mock-up is recommended to help in all design decisions including grout color, joint size (dry-laid, standard, or wide), and desired finish. www.stoneyard.com/mortar

LEED® CERTIFICATION & ENERGY EFFICIENCY

Whether it's for a commercial building or historical restoration, this natural building material can assist with the LEED certification. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency. www.stoneyard.com/architect

CORNERS

Matching 90° corners are available in all colors and shapes. When other angles are needed, the installation options are weaving (alternating flats) or miter cutting flat pieces to wrap the corner. www.stoneyard.com/corner

Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.



DESCRIPTION

Colonial Tan™ LedgeStone Thin Veneer is a natural stone that consists of radiant browns, beiges, tans, and light grays accentuated by gold and silver specks. These earthy tan colors give your project a fresh, unmistakable look. The LedgeStone pattern of stone veneer consists of thin strips of natural stone. Sold as individual stones not stone panels.

DIMENSIONS

Height: 1–4 inches
Length: 4–12 inches
Thickness: 1 inch +/- ¼ inch
Weight: Less than 14 lbs per SF

PACKAGING

Flat Crate: 168 SF (SKU# VTLCFW)
Flat Box: 5 SF (SKU# VTLCFS)
Corner Crate: 150 LF (SKU# VTLCCW)
Corner ½ Crate: 75 LF (SKU# VTLCCCH)
Corner Box: 5 LF (SKU# VTLCCS)


PROFILE

Colors: Brown, beige, tan, gold, light gray
Finish: Split, textured face



APPLICATIONS

This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest hot, cold, or wet climates. Perfect for interior and exterior use in all regions including applications below grade. Suitable for use near salt water, water features, and in areas where blowing sand is a concern.
www.stoneyard.com/hca

FLAT DETAIL



CORNER DETAIL



INSTALLATION

Thin Veneer installation information is available on our website www.stoneyard.com/install. A mock-up is recommended to help in all design decisions including grout color, joint size (dry-laid, standard, or wide), and desired finish.
www.stoneyard.com/mortar

LEED® CERTIFICATION & ENERGY EFFICIENCY

Whether it's for a commercial building or historical restoration, this natural building material can assist with the LEED certification. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency.
www.stoneyard.com/architect

CORNERS

Matching 90° corners are available in all colors and shapes. When other angles are needed, the installation options are weaving (alternating flats) or miter cutting flat pieces to wrap the corner.
www.stoneyard.com/corner

Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.



DESCRIPTION

Rustic Tan™ is a real, natural stone consisting of rich golds, oranges, blacks, and whites. The LedgeStone pattern of stone veneer consists of thin strips of natural stone for cladding. Stacked, dry, jointed, or over-grout looks available from installation technique chosen by the installer. Sold as individual stones not stone panels.

DIMENSIONS

- Height:** 1–4 inches
- Length:** 4–12 inches
- Thickness:** 1 inch +/- ¼ inch
- Weight:** Less than 14 lbs per SF

PACKAGING

- Flat Crate:** 168 SF (SKU# VTLRFW)
- Flat Box:** 5 SF (SKU# VTLRFS)
- Corner Crate:** 150 LF (SKU# VTLRCW)
- Corner ½ Crate:** 75 LF (SKU# VTLRCH)
- Corner Box:** 5 LF (SKU# VTLRCS)


PROFILE

- Colors:** Gold, orange, black, and white
- Finish:** Split, textured face



APPLICATIONS

This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest hot, cold, or wet climates. Perfect for interior and exterior use in all regions including applications below grade. Suitable for use near salt water, water features, and in areas where blowing sand is a concern. www.stoneyard.com/hca

FLAT DETAIL



CORNER DETAIL



INSTALLATION

Thin Veneer installation information is available on our website www.stoneyard.com/install. A mock-up is recommended to help in all design decisions including grout color, joint size (dry-laid, standard, or wide), and desired finish. www.stoneyard.com/mortar

LEED® CERTIFICATION & ENERGY EFFICIENCY

Whether it's for a commercial building or historical restoration, this natural building material can assist with the LEED certification. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency. www.stoneyard.com/architect

CORNERS

Matching 90° corners are available in all colors and shapes. When other angles are needed, the installation options are weaving (alternating flats) or miter cutting flat pieces to wrap the corner. www.stoneyard.com/corner

Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.



DESCRIPTION

Newport Mist™ Ledgestone Thin Veneer is a natural stone with silver, gray, and white coloring. The Ledgestone pattern of stone veneer consists of thin strips of natural stone. Sold as individual stones not stone panels.

DIMENSIONS

Height: 1–4 inches
Length: 4–12 inches
Thickness: 1 inch +/- ¼ inch
Weight: Less than 14 lbs per SF

PACKAGING

Flat Crate: 168 SF (SKU# VTLMFW)
Flat Box: 5 SF (SKU# VTLMFS)
Corner Crate: 150 LF (SKU# VTLMCW)
Corner ½ Crate: 75 LF (SKU# VTLMCH)
Corner Box: 5 LF (SKU# VTLMCS)


PROFILE

Colors: Light Gray, silver, white, tan, blue
Finish: Split, textured face



APPLICATIONS

This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest hot, cold, or wet climates. Perfect for interior and exterior use in all regions including applications below grade. Suitable for use near salt water, water features, and in areas where blowing sand is a concern. www.stoneyard.com/hca

FLAT DETAIL



CORNER DETAIL



INSTALLATION

Thin Veneer installation information is available on our website www.stoneyard.com/install. A mock-up is recommended to help in all design decisions including grout color, joint size (dry-laid, standard, or wide), and desired finish. www.stoneyard.com/mortar

LEED® CERTIFICATION & ENERGY EFFICIENCY

Whether it's for a commercial building or historical restoration, this natural building material can assist with the LEED certification. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency. www.stoneyard.com/architect

CORNERS

Matching 90° corners are available in all colors and shapes. When other angles are needed, the installation options are weaving (alternating flats) or miter cutting flat pieces to wrap the corner. www.stoneyard.com/corner

Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.



DESCRIPTION

Portsmouth Granite™ Ledgestone Thin Veneer is a real Granite stone with gray, black, and white coloring. The Ledgestone pattern of stone veneer consists of thin strips of natural stone for cladding. Sold as individual stones not stone panels.

DIMENSIONS

Height: 1–4 inches
Length: 4–12 inches
Thickness: 1 inch +/- ¼ inch
Weight: Less than 14 lbs per SF

PACKAGING

Flat Crate: 168 SF (SKU# VTLTFW)
Flat Box: 5 SF (SKU# VTLTFS)
Corner Crate: 150 LF (SKU# VTLTCW)
Corner ½ Crate: 75 LF (SKU# VTLTCH)
Corner Box: 5 LF (SKU# VTLTCS)


PROFILE

Colors: Light gray, black, white, beige, tan, and blue
Finish: Split, textured face



APPLICATIONS

This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest hot, cold, or wet climates. Perfect for interior and exterior use in all regions including applications below grade. Suitable for use near salt water, water features, and in areas where blowing sand is a concern.
www.stoneyard.com/hca

FLAT DETAIL



CORNER DETAIL



INSTALLATION

Thin Veneer installation information is available on our website www.stoneyard.com/install. A mock-up is recommended to help in all design decisions including grout color, joint size (dry-laid, standard, or wide), and desired finish.
www.stoneyard.com/mortar

LEED® CERTIFICATION & ENERGY EFFICIENCY

Whether it's for a commercial building or historical restoration, this natural building material can assist with the LEED certification. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency.
www.stoneyard.com/architect

CORNERS

Matching 90° corners are available in all colors and shapes. When other angles are needed, the installation options are weaving (alternating flats) or miter cutting flat pieces to wrap the corner.
www.stoneyard.com/corner

Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.



DESCRIPTION

Oyster Bay™ is a natural, thin cut stone consisting of deep grays, blues, blacks, and whites. The Ledgestone pattern of stone veneer consists of thin strips of natural stone for cladding. Stacked, dry, jointed, or over-grout looks available from installation technique chosen by the installer. Sold as individual stones not stone panels.

DIMENSIONS

Height: 1–4 inches
Length: 4–12 inches
Thickness: 1 inch +/- ¼ inch
Weight: Less than 14 lbs per SF

PACKAGING

Flat Crate: 168 SF (SKU# VTLBFW)
Flat Box: 5 SF (SKU# VTLBFS)
Corner Crate: 150 LF (SKU# VTLBCW)
Corner ½ Crate: 75 LF (SKU# VTLBCH)
Corner Box: 5 LF (SKU# VTLBCS)


PROFILE

Colors: Black, gray, blue, and white
Finish: Split, textured face



APPLICATIONS

This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest hot, cold, or wet climates. Perfect for interior and exterior use in all regions including applications below grade. Suitable for use near salt water, water features, and in areas where blowing sand is a concern.
www.stoneyard.com/hca

FLAT DETAIL



CORNER DETAIL



INSTALLATION

Thin Veneer installation information is available on our website www.stoneyard.com/install. A mock-up is recommended to help in all design decisions including grout color, joint size (dry-laid, standard, or wide), and desired finish.
www.stoneyard.com/mortar

LEED® CERTIFICATION & ENERGY EFFICIENCY

Whether it's for a commercial building or historical restoration, this natural building material can assist with the LEED certification. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency.
www.stoneyard.com/architect

CORNERS

Matching 90° corners are available in all colors and shapes. When other angles are needed, the installation options are weaving (alternating flats) or miter cutting flat pieces to wrap the corner.
www.stoneyard.com/corner

Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.



DESCRIPTION

Vineyard Granite™ Ledgestone Thin Veneer is a coarse grain stone indigenous to the central core of New England mountain ranges. The stone is predominantly gray, black and white with splendid crystals of peach and pink. The Ledgestone pattern of stone veneer consists of thin strips of natural stone. Sold as individual stones not stone panels.

DIMENSIONS

Height: 1–4 inches
Length: 4–12 inches
Thickness: 1 inch +/- ¼ inch
Weight: Less than 14 lbs per SF

PACKAGING

Flat Crate: 168 SF (SKU# VTLNFW)
Flat Box: 5 SF (SKU# VTLNFS)
Corner Crate: 150 LF (SKU# VTLNCW)
Corner ½ Crate: 75 LF (SKU# VTLNCH)
Corner Box: 5 LF (SKU# VTLNCS)


PROFILE

Colors: Dark gray, black, white, pink, red, purple
Finish: Split, textured face



APPLICATIONS

This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest hot, cold, or wet climates. Perfect for interior and exterior use in all regions including applications below grade. Suitable for use near salt water, water features, and in areas where blowing sand is a concern. www.stoneyard.com/hca

FLAT DETAIL



CORNER DETAIL



INSTALLATION

Thin Veneer installation information is available on our website www.stoneyard.com/install. A mock-up is recommended to help in all design decisions including grout color, joint size (dry-laid, standard, or wide), and desired finish. www.stoneyard.com/mortar

LEED® CERTIFICATION & ENERGY EFFICIENCY

Whether it's for a commercial building or historical restoration, this natural building material can assist with the LEED certification. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency. www.stoneyard.com/architect

CORNERS

Matching 90° corners are available in all colors and shapes. When other angles are needed, the installation options are weaving (alternating flats) or miter cutting flat pieces to wrap the corner. www.stoneyard.com/corner

Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.



DESCRIPTION

Greenwich Gray™ LedgeStone Thin Veneer is a natural stone with consistent steel blue and gray coloring. Subtle stripes of white and green add character and depth. The LedgeStone pattern of stone veneer panels consists of thin strips of natural stone. Sold as individual stones not stone panels.

DIMENSIONS

Height: 1–4 inches
Length: 4–12 inches
Thickness: 1 inch +/- ¼ inch
Weight: Less than 14 lbs per SF

PACKAGING

Flat Crate: 168 SF (SKU# VTLGFW)
Flat Box: 5 SF (SKU# VTLGFS)
Corner Crate: 150 LF (SKU# VTLGCW)
Corner ½ Crate: 75 LF (SKU# VTLGCH)
Corner Box: 5 LF (SKU# VTLGCS)


PROFILE

Colors: Gray, blue, white, green
Finish: Split, textured face



APPLICATIONS

This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest hot, cold, or wet climates. Perfect for interior and exterior use in all regions including applications below grade. Suitable for use near salt water, water features, and in areas where blowing sand is a concern. www.stoneyard.com/hca

FLAT DETAIL



CORNER DETAIL



INSTALLATION

Thin Veneer installation information is available on our website www.stoneyard.com/install. A mock-up is recommended to help in all design decisions including grout color, joint size (dry-laid, standard, or wide), and desired finish. www.stoneyard.com/mortar

LEED® CERTIFICATION & ENERGY EFFICIENCY

Whether it's for a commercial building or historical restoration, this natural building material can assist with the LEED certification. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency. www.stoneyard.com/architect

CORNERS

Matching 90° corners are available in all colors and shapes. When other angles are needed, the installation options are weaving (alternating flats) or miter cutting flat pieces to wrap the corner. www.stoneyard.com/corner

Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.