



DESCRIPTION

Boston Blend™ Mosaic Thin Veneer consists of a wide range of colors including brown, gray, white, and beige. The mosaic pattern consists of irregular pieces of natural stone. Shapes are primarily triangles and stop signs, similar to the mosaic dimensions created from broken ice. Sold as individual stones not stone panels. For product testing data visit www.stoneyard.com/astm.

DIMENSIONS

Facing Area: 0.25–1.25 SF
Size Range: (4.5 inches x 8 inches) to (11 inches x 16 inches)
Thickness: 1 inch +/- ¼ inch
Weight: Less than 14 lbs per SF

PACKAGING

Flat Crate: 168 SF (SKU# VTMFFW)
Flat Box: 5 SF (SKU# VTMFFS)
Corner Crate: 150 LF (SKU# VTMFCW)
Corner ½ Crate: 75 LF (SKU# VTMFCH)
Corner Box: 5 LF (SKU# VTMFCS)


PROFILE

Colors: Gray, tan, white, beige, blue, pink, black
Finish: Natural, aged face



APPLICATIONS

This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest hot, cold, or wet climates. Perfect for interior and exterior use in all regions including applications below grade. Suitable for use near salt water, water features, and in areas where blowing sand is a concern. www.stoneyard.com/hca

FLAT DETAIL



CORNER DETAIL



Plan View

INSTALLATION

Thin Veneer installation information is available on our website www.stoneyard.com/install. A mock-up is recommended to help in all design decisions including grout color, joint size (dry-laid, standard, or wide), and desired finish. www.stoneyard.com/mortar


LEED® CERTIFICATION & ENERGY EFFICIENCY

Whether it's for a commercial building or historical restoration, this natural building material can assist with the LEED certification. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency. www.stoneyard.com/architect

CORNERS

Matching 90° corners are available in all colors and shapes. When other angles are needed, the installation options are weaving (alternating flats) or miter cutting flat pieces to wrap the corner. www.stoneyard.com/corner

Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.



DESCRIPTION

Colonial Tan™ Mosaic Thin Veneer consists of irregular pieces of natural stone. Shapes are primarily triangles and stop signs, similar to the mosaic dimensions created from broken ice. It contains radiant browns, beige, tan, and light gray colors that are accentuated by gold and silver specks. Sold as individual stones not stone panels.

DIMENSIONS

Facing Area: 0.25–1.25 SF
Size Range: (4.5 inches x 8 inches) to (11 inches x 16 inches)
Thickness: 1 inch +/- ¼ inch
Weight: Less than 14 lbs per SF

PACKAGING

Flat Crate: 168 SF (SKU# VTMCFW)
Flat Box: 5 SF (SKU# VTMCF5)
Corner Crate: 150 LF (SKU# VTMCCW)
Corner ½ Crate: 75 LF (SKU# VTMCC5)
Corner Box: 5 LF (SKU# VTMCC5)


PROFILE

Colors: Brown, beige, tan, gold, light gray
Finish: Natural, aged face



APPLICATIONS

This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest hot, cold, or wet climates. Perfect for interior and exterior use in all regions including applications below grade. Suitable for use near salt water, water features, and in areas where blowing sand is a concern. www.stoneyard.com/hca

FLAT DETAIL



CORNER DETAIL



Plan View

INSTALLATION

Thin Veneer installation information is available on our website www.stoneyard.com/install. A mock-up is recommended to help in all design decisions including grout color, joint size (dry-laid, standard, or wide), and desired finish. www.stoneyard.com/mortar

LEED® CERTIFICATION & ENERGY EFFICIENCY

Whether it's for a commercial building or historical restoration, this natural building material can assist with the LEED certification. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency. www.stoneyard.com/architect

CORNERS

Matching 90° corners are available in all colors and shapes. When other angles are needed, the installation options are weaving (alternating flats) or miter cutting flat pieces to wrap the corner. www.stoneyard.com/corner

Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.



DESCRIPTION

Rustic Tan™ is a natural stone with rich golds, orange, yellow, black, and white coloring. Mosaic pattern stone veneer consists of irregular pieces of natural stone for siding, facing, and cladding. The shapes consist primarily of triangles and stop sign shapes and the pattern is similar to the mosaic dimensions created from broken ice. Sold as individual stones not stone panels.

DIMENSIONS

Facing Area: 0.25–1.25 SF
Size Range: (4.5 inches x 8 inches) to (11 inches x 16 inches)
Thickness: 1 inch +/- ¼ inch
Weight: Less than 14 lbs per SF

PACKAGING

Flat Crate: 168 SF (SKU# VTMRFW)
Flat Box: 5 SF (SKU# VTMRFS)
Corner Crate: 150 LF (SKU# VTMRCW)
Corner ½ Crate: 75 LF (SKU# VTMRCH)
Corner Box: 5 LF (SKU# VTM RCS)


PROFILE

Colors: Gold, orange, black, brown, tan, and white
Finish: Natural, aged face



APPLICATIONS

This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest hot, cold, or wet climates. Perfect for interior and exterior use in all regions including applications below grade. Suitable for use near salt water, water features, and in areas where blowing sand is a concern. www.stoneyard.com/hca

FLAT DETAIL



CORNER DETAIL



INSTALLATION

Thin Veneer installation information is available on our website www.stoneyard.com/install. A mock-up is recommended to help in all design decisions including grout color, joint size (dry-laid, standard, or wide), and desired finish. www.stoneyard.com/mortar

LEED® CERTIFICATION & ENERGY EFFICIENCY

Whether it's for a commercial building or historical restoration, this natural building material can assist with the LEED certification. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency. www.stoneyard.com/architect

CORNERS

Matching 90° corners are available in all colors and shapes. When other angles are needed, the installation options are weaving (alternating flats) or miter cutting flat pieces to wrap the corner. www.stoneyard.com/corner

Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.



DESCRIPTION

Newport Mist™ Mosaic Thin Veneer is a natural stone with silvers, grays, and whites. Mosaic pattern stone veneer consists of irregular pieces of natural stone. Shapes are primarily triangles and stop signs, similar to the mosaic dimensions created from broken ice. Sold as individual stones not stone panels.

DIMENSIONS

Facing Area: 0.25–1.25 SF
Size Range: (4.5 inches x 8 inches) to (11 inches x 16 inches)
Thickness: 1 inch +/- ¼ inch
Weight: Less than 14 lbs per SF

PACKAGING

Flat Crate: 168 SF (SKU# VTMMFW)
Flat Box: 5 SF (SKU# VTMMFS)
Corner Crate: 150 LF (SKU# VTMMCW)
Corner ½ Crate: 75 LF (SKU# VTMMCH)
Corner Box: 5 LF (SKU# VTMMCS)


PROFILE

Colors: Light Gray, silver, white, tan, blue
Finish: Natural, aged face



APPLICATIONS

This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest hot, cold, or wet climates. Perfect for interior and exterior use in all regions including applications below grade. Suitable for use near salt water, water features, and in areas where blowing sand is a concern. www.stoneyard.com/hca

FLAT DETAIL



CORNER DETAIL



INSTALLATION

Thin Veneer installation information is available on our website www.stoneyard.com/install. A mock-up is recommended to help in all design decisions including grout color, joint size (dry-laid, standard, or wide), and desired finish. www.stoneyard.com/mortar

LEED® CERTIFICATION & ENERGY EFFICIENCY

Whether it's for a commercial building or historical restoration, this natural building material can assist with the LEED certification. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency. www.stoneyard.com/architect

CORNERS

Matching 90° corners are available in all colors and shapes. When other angles are needed, the installation options are weaving (alternating flats) or miter cutting flat pieces to wrap the corner. www.stoneyard.com/corner

Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.



DESCRIPTION

Portsmouth Granite™ Mosaic Thin Veneer is a New England granite stone. Its Mosaic pattern consists of irregular pieces of natural stone. The shapes consist primarily of triangles and stop signs, similar to the mosaic dimensions created from broken ice. Sold as individual stones not stone panels.

DIMENSIONS

Facing Area: 0.25–1.25 SF
Size Range: (4.5 inches x 8 inches) to (11 inches x 16 inches)
Thickness: 1 inch +/- ¼ inch
Weight: Less than 14 lbs per SF

PACKAGING

Flat Crate: 168 SF (SKU# VTMTFW)
Flat Box: 5 SF (SKU# VTMTFS)
Corner Crate: 150 LF (SKU# VTMTCW)
Corner ½ Crate: 75 LF (SKU# VTMTCH)
Corner Box: 5 LF (SKU# VTMTCS)


PROFILE

Colors: Light gray, black, white, beige, tan, and blue
Finish: Natural, aged face



APPLICATIONS

This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest hot, cold, or wet climates. Perfect for interior and exterior use in all regions including applications below grade. Suitable for use near salt water, water features, and in areas where blowing sand is a concern. www.stoneyard.com/hca

FLAT DETAIL



CORNER DETAIL



Plan View

INSTALLATION

Thin Veneer installation information is available on our website www.stoneyard.com/install. A mock-up is recommended to help in all design decisions including grout color, joint size (dry-laid, standard, or wide), and desired finish. www.stoneyard.com/mortar

LEED® CERTIFICATION & ENERGY EFFICIENCY

Whether it's for a commercial building or historical restoration, this natural building material can assist with the LEED certification. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency. www.stoneyard.com/architect

CORNERS

Matching 90° corners are available in all colors and shapes. When other angles are needed, the installation options are weaving (alternating flats) or miter cutting flat pieces to wrap the corner. www.stoneyard.com/corner

Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.



DESCRIPTION

Oyster Bay™ is a natural, thin cut stone consisting of deep grays, blue, black, white, and a sprinkle of tan. Mosaic pattern stone veneer consists of irregular pieces of natural stone for siding, facing, and cladding. The shapes consist primarily of triangles and stop signs, similar to the mosaic dimensions created from broken ice. Sold as individual stones not stone panels.

DIMENSIONS

Facing Area: 0.25–1.25 SF
Size Range: (4.5 inches x 8 inches) to (11 inches x 16 inches)
Thickness: 1 inch +/- ¼ inch
Weight: Less than 14 lbs per SF

PACKAGING

Flat Crate: 168 SF (SKU# VTMBFW)
Flat Box: 5 SF (SKU# VTMBFS)
Corner Crate: 150 LF (SKU# VTMBCW)
Corner ½ Crate: 75 LF (SKU# VTMBCH)
Corner Box: 5 LF (SKU# VTMBCS)


PROFILE

Colors: Black, gray, blue, beige, white
Finish: Natural, aged face



APPLICATIONS

This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest hot, cold, or wet climates. Perfect for interior and exterior use in all regions including applications below grade. Suitable for use near salt water, water features, and in areas where blowing sand is a concern. www.stoneyard.com/hca

FLAT DETAIL



CORNER DETAIL



Plan View

INSTALLATION

Thin Veneer installation information is available on our website www.stoneyard.com/install. A mock-up is recommended to help in all design decisions including grout color, joint size (dry-laid, standard, or wide), and desired finish. www.stoneyard.com/mortar


LEED® CERTIFICATION & ENERGY EFFICIENCY

Whether it's for a commercial building or historical restoration, this natural building material can assist with the LEED certification. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency. www.stoneyard.com/architect

CORNERS

Matching 90° corners are available in all colors and shapes. When other angles are needed, the installation options are weaving (alternating flats) or miter cutting flat pieces to wrap the corner. www.stoneyard.com/corner

Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.



DESCRIPTION

Vineyard Granite™ Mosaic Thin Veneer is a coarse grain stone indigenous to the central core of New England mountain ranges. The stone is predominantly gray, black and white with splendid crystals of peach and pink. Mosaic stone veneer consists of irregular pieces of natural stone. The shapes are primarily triangles and stop signs, similar to the mosaic dimensions created from broken ice. Sold as individual stones not stone panels.

DIMENSIONS

Facing Area: 0.25–1.25 SF
Size Range: (4.5 inches x 8 inches) to (11 inches x 16 inches)
Thickness: 1 inch +/- ¼ inch
Weight: Less than 14 lbs per SF

PACKAGING

Flat Crate: 168 SF (SKU# VTMNFW)
Flat Box: 5 SF (SKU# VTMNFS)
Corner Crate: 150 LF (SKU# VTMNCW)
Corner ½ Crate: 75 LF (SKU# VTMNCH)
Corner Box: 5 LF (SKU# VTMNCS)


PROFILE

Colors: Dark gray, black, white, pink, red, purple
Finish: Natural, aged face



APPLICATIONS

This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest hot, cold, or wet climates. Perfect for interior and exterior use in all regions including applications below grade. Suitable for use near salt water, water features, and in areas where blowing sand is a concern. www.stoneyard.com/hca

FLAT DETAIL



CORNER DETAIL



INSTALLATION

Thin Veneer installation information is available on our website www.stoneyard.com/install. A mock-up is recommended to help in all design decisions including grout color, joint size (dry-laid, standard, or wide), and desired finish. www.stoneyard.com/mortar

LEED® CERTIFICATION & ENERGY EFFICIENCY

Whether it's for a commercial building or historical restoration, this natural building material can assist with the LEED certification. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency. www.stoneyard.com/architect

CORNERS

Matching 90° corners are available in all colors and shapes. When other angles are needed, the installation options are weaving (alternating flats) or miter cutting flat pieces to wrap the corner. www.stoneyard.com/corner

Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.



DESCRIPTION

Greenwich Gray™ Mosaic Thin Veneer is a natural stone with consistent steel blue and gray coloring. Subtle stripes of white and green add character and depth. Mosaic pattern consists of irregular pieces of natural stone. Shapes consist primarily of triangles and stop signs, similar to the mosaic dimensions created from broken ice. Sold as individual stones not stone panels.

DIMENSIONS

Facing Area: 0.25–1.25 SF
Size Range: (4.5 inches x 8 inches) to (11 inches x 16 inches)
Thickness: 1 inch +/- ¼ inch
Weight: Less than 14 lbs per SF

PACKAGING

Flat Crate: 168 SF (SKU# VTMGFW)
Flat Box: 5 SF (SKU# VTMGFS)
Corner Crate: 150 LF (SKU# VTMGCW)
Corner ½ Crate: 75 LF (SKU# VTMGCH)
Corner Box: 5 LF (SKU# VTMGCS)


PROFILE

Colors: Gray, blue, white, green
Finish: Natural, aged face



APPLICATIONS

This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest hot, cold, or wet climates. Perfect for interior and exterior use in all regions including applications below grade. Suitable for use near salt water, water features, and in areas where blowing sand is a concern. www.stoneyard.com/hca

FLAT DETAIL



CORNER DETAIL



INSTALLATION

Thin Veneer installation information is available on our website www.stoneyard.com/install. A mock-up is recommended to help in all design decisions including grout color, joint size (dry-laid, standard, or wide), and desired finish. www.stoneyard.com/mortar

LEED® CERTIFICATION & ENERGY EFFICIENCY

Whether it's for a commercial building or historical restoration, this natural building material can assist with the LEED certification. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency. www.stoneyard.com/architect

CORNERS

Matching 90° corners are available in all colors and shapes. When other angles are needed, the installation options are weaving (alternating flats) or miter cutting flat pieces to wrap the corner. www.stoneyard.com/corner

Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.