



DESCRIPTION

Boston Blend™ Square & Rectangular Thin Veneer consists of roughly square and rectangular pieces of real New England fieldstone. The stones are sorted, split, and cut to offer a dimensional look with less on-site work. Sold as individual stones not stone panels. For product testing data visit www.stoneyard.com/astm.

DIMENSIONS

Facing Area: 0.25–1.25 SF
Size Range: (4.5 inches x 8 inches) to (11 inches x 16 inches)
Thickness: 1 inch +/- ¼ inch
Weight: Less than 14 lbs per SF

PACKAGING

Flat Crate: 168 SF (SKU# VTRFFW)
Flat Box: 5 SF (SKU# VTRFFS)
Corner Crate: 150 LF (SKU# VTRFCW)
Corner ½ Crate: 75 LF (SKU# VTRFCH)
Corner Box: 5 LF (SKU# VTRFCS)


PROFILE

Colors: Gray, tan, white, beige, blue, pink, black
Finish: Natural, aged face


APPLICATIONS

This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest hot, cold, or wet climates. Perfect for interior and exterior use in all regions including applications below grade. Suitable for use near salt water, water features, and in areas where blowing sand is a concern. www.stoneyard.com/hca

FLAT DETAIL



CORNER DETAIL



Plan View

INSTALLATION

Thin Veneer installation information is available on our website www.stoneyard.com/install. A mock-up is recommended to help in all design decisions including grout color, joint size (dry-laid, standard, or wide), and desired finish. www.stoneyard.com/mortar

LEED® CERTIFICATION & ENERGY EFFICIENCY

Whether it's for a commercial building or historical restoration, this natural building material can assist with the LEED certification. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency. www.stoneyard.com/architect

CORNERS

Matching 90° corners are available in all colors and shapes. When other angles are needed, the installation options are weaving (alternating flats) or miter cutting flat pieces to wrap the corner. www.stoneyard.com/corner

Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.



DESCRIPTION

Colonial Tan™ Square & Rectangular Thin Veneer stones are roughly square and roughly rectangular in shape. Colonial Tan™ is a natural stone that consists of radiant browns, beiges, tans, and light grays accentuated by gold and silver specks. These earthy tan colors give your project a fresh, unmistakable look. Sold as individual stones not stone panels.

DIMENSIONS

Facing Area: 0.25–1.25 SF
Size Range: (4.5 inches x 8 inches) to (11 inches x 16 inches)
Thickness: 1 inch +/- ¼ inch
Weight: Less than 14 lbs per SF

PACKAGING

Flat Crate: 168 SF (SKU# VTRCFW)
Flat Box: 5 SF (SKU# VTRCFS)
Corner Crate: 150 LF (SKU# VTRCCW)
Corner ½ Crate: 75 LF (SKU# VTRCCH)
Corner Box: 5 LF (SKU# VTRCCS)


PROFILE

Colors: Brown, beige, tan, gold, light gray
Finish: Natural, aged face



APPLICATIONS

This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest hot, cold, or wet climates. Perfect for interior and exterior use in all regions including applications below grade. Suitable for use near salt water, water features, and in areas where blowing sand is a concern. www.stoneyard.com/hca

FLAT DETAIL



CORNER DETAIL



Plan View

INSTALLATION

Thin Veneer installation information is available on our website www.stoneyard.com/install. A mock-up is recommended to help in all design decisions including grout color, joint size (dry-laid, standard, or wide), and desired finish. www.stoneyard.com/mortar

LEED® CERTIFICATION & ENERGY EFFICIENCY

Whether it's for a commercial building or historical restoration, this natural building material can assist with the LEED certification. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency. www.stoneyard.com/architect

CORNERS

Matching 90° corners are available in all colors and shapes. When other angles are needed, the installation options are weaving (alternating flats) or miter cutting flat pieces to wrap the corner. www.stoneyard.com/corner

Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.



DESCRIPTION

Rustic Tan[™] are roughly square and roughly rectangular in shape. Rustic Tan[™] is a New England stone consisting of radiant golds, orange, yellow, black, and white. Sold as individual stones not stone panels.

DIMENSIONS

Facing Area: 0.25–1.25 SF
Size Range: (4.5 inches x 8 inches) to (11 inches x 16 inches)
Thickness: 1 inch +/- ¼ inch
Weight: Less than 14 lbs per SF

PACKAGING

Flat Crate: 168 SF (SKU# VTRRFW)
Flat Box: 5 SF (SKU# VTRRFS)
Corner Crate: 150 LF (SKU# VTRRCW)
Corner ½ Crate: 75 LF (SKU# VTRRCH)
Corner Box: 5 LF (SKU# VTRRCS)


PROFILE

Colors: Gold, orange, black, brown, tan, and white
Finish: Natural, aged face



APPLICATIONS

This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest hot, cold, or wet climates. Perfect for interior and exterior use in all regions including applications below grade. Suitable for use near salt water, water features, and in areas where blowing sand is a concern. www.stoneyard.com/hca

FLAT DETAIL



CORNER DETAIL



Plan View

INSTALLATION

Thin Veneer installation information is available on our website www.stoneyard.com/install. A mock-up is recommended to help in all design decisions including grout color, joint size (dry-laid, standard, or wide), and desired finish. www.stoneyard.com/mortar

LEED® CERTIFICATION & ENERGY EFFICIENCY

Whether it's for a commercial building or historical restoration, this natural building material can assist with the LEED certification. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency. www.stoneyard.com/architect

CORNERS

Matching 90° corners are available in all colors and shapes. When other angles are needed, the installation options are weaving (alternating flats) or miter cutting flat pieces to wrap the corner. www.stoneyard.com/corner

Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.



DESCRIPTION

Newport Mist™ Square & Rectangular Thin Veneer stones are roughly square and roughly rectangular in shape. Newport Mist is a natural stone with silvers, grays, and whites. Sold as individual stones not stone panels.

DIMENSIONS

Facing Area: 0.25–1.25 SF
Size Range: (4.5 inches x 8 inches) to (11 inches x 16 inches)
Thickness: 1 inch +/- ¼ inch
Weight: Less than 14 lbs per SF

PACKAGING

Flat Crate: 168 SF (SKU# VTRMFV)
Flat Box: 5 SF (SKU# VTRMFS)
Corner Crate: 150 LF (SKU# VTRMCW)
Corner ½ Crate: 75 LF (SKU# VTRMCH)
Corner Box: 5 LF (SKU# VTRMCS)


PROFILE

Colors: Light Gray, silver, white, tan, blue
Finish: Natural, aged face



APPLICATIONS

This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest hot, cold, or wet climates. Perfect for interior and exterior use in all regions including applications below grade. Suitable for use near salt water, water features, and in areas where blowing sand is a concern. www.stoneyard.com/hca

FLAT DETAIL



CORNER DETAIL



INSTALLATION

Thin Veneer installation information is available on our website www.stoneyard.com/install. A mock-up is recommended to help in all design decisions including grout color, joint size (dry-laid, standard, or wide), and desired finish. www.stoneyard.com/mortar

LEED® CERTIFICATION & ENERGY EFFICIENCY

Whether it's for a commercial building or historical restoration, this natural building material can assist with the LEED certification. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency. www.stoneyard.com/architect

CORNERS

Matching 90° corners are available in all colors and shapes. When other angles are needed, the installation options are weaving (alternating flats) or miter cutting flat pieces to wrap the corner. www.stoneyard.com/corner

Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.



DESCRIPTION

Portsmouth Granite™ Square & Rectangular Thin Veneer is a natural granite stone from New England. It has been sorted, split, and cut into roughly square and rectangular pieces. Sold as individual stones not stone panels.

DIMENSIONS

Facing Area: 0.25–1.25 SF
Size Range: (4.5 inches x 8 inches) to (11 inches x 16 inches)
Thickness: 1 inch +/- ¼ inch
Weight: Less than 14 lbs per SF

PACKAGING

Flat Crate: 168 SF (SKU# VTRTFW)
Flat Box: 5 SF (SKU# VTRTFS)
Corner Crate: 150 LF (SKU# VTRTCW)
Corner ½ Crate: 75 LF (SKU# VTRTCH)
Corner Box: 5 LF (SKU# VTRTCS)


PROFILE

Colors: Light gray, black, white, beige, tan, and blue
Finish: Natural, aged face



APPLICATIONS

This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest hot, cold, or wet climates. Perfect for interior and exterior use in all regions including applications below grade. Suitable for use near salt water, water features, and in areas where blowing sand is a concern.
www.stoneyard.com/hca

FLAT DETAIL



CORNER DETAIL



Plan View

INSTALLATION

Thin Veneer installation information is available on our website www.stoneyard.com/install. A mock-up is recommended to help in all design decisions including grout color, joint size (dry-laid, standard, or wide), and desired finish.
www.stoneyard.com/mortar

LEED® CERTIFICATION & ENERGY EFFICIENCY

Whether it's for a commercial building or historical restoration, this natural building material can assist with the LEED certification. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency.
www.stoneyard.com/architect

CORNERS

Matching 90° corners are available in all colors and shapes. When other angles are needed, the installation options are weaving (alternating flats) or miter cutting flat pieces to wrap the corner.
www.stoneyard.com/corner

Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.



DESCRIPTION

Oyster Bay™ is a natural, thin cut stone consisting of deep grays, blue, black, and white with subtle hits of beige. Pieces are roughly square and roughly rectangular in shape. Sold as individual stones not stone panels.

DIMENSIONS

- Facing Area:** 0.25–1.25 SF
- Size Range:** (4.5 inches x 8 inches) to (11 inches x 16 inches)
- Thickness:** 1 inch +/- ¼ inch
- Weight:** Less than 14 lbs per SF

PACKAGING

- Flat Crate:** 168 SF (SKU# VTRBFW)
- Flat Box:** 5 SF (SKU# VTRBFS)
- Corner Crate:** 150 LF (SKU# VTRBCW)
- Corner ½ Crate:** 75 LF (SKU# VTRBCH)
- Corner Box:** 5 LF (SKU# VTRBCS)


PROFILE

- Colors:** Black, gray, blue, beige, and white
- Finish:** Natural, aged face



APPLICATIONS

This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest hot, cold, or wet climates. Perfect for interior and exterior use in all regions including applications below grade. Suitable for use near salt water, water features, and in areas where blowing sand is a concern. www.stoneyard.com/hca

FLAT DETAIL



CORNER DETAIL



Plan View

INSTALLATION

Thin Veneer installation information is available on our website www.stoneyard.com/install. A mock-up is recommended to help in all design decisions including grout color, joint size (dry-laid, standard, or wide), and desired finish. www.stoneyard.com/mortar

LEED® CERTIFICATION & ENERGY EFFICIENCY

Whether it's for a commercial building or historical restoration, this natural building material can assist with the LEED certification. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency. www.stoneyard.com/architect

CORNERS

Matching 90° corners are available in all colors and shapes. When other angles are needed, the installation options are weaving (alternating flats) or miter cutting flat pieces to wrap the corner. www.stoneyard.com/corner

Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.



DESCRIPTION

Vineyard Granite™ Square & Rectangular Thin Veneer stones are roughly square and roughly rectangular in shape. Vineyard Granite is a coarse grain stone indigenous to the central core of New England mountain ranges. The stone is predominantly gray, black and white with splendid crystals of peach and pink. Sold as individual stones not stone panels.

DIMENSIONS

Facing Area: 0.25–1.25 SF
Size Range: (4.5 inches x 8 inches) to (11 inches x 16 inches)
Thickness: 1 inch +/- ¼ inch
Weight: Less than 14 lbs per SF

PACKAGING

Flat Crate: 168 SF (SKU# VTRNFW)
Flat Box: 5 SF (SKU# VTRNFS)
Corner Crate: 150 LF (SKU# VTRNCW)
Corner ½ Crate: 75 LF (SKU# VTRNCH)
Corner Box: 5 LF (SKU# VTRNCS)


PROFILE

Colors: Dark gray, black, white, pink, red, purple
Finish: Natural, aged face



APPLICATIONS

This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest hot, cold, or wet climates. Perfect for interior and exterior use in all regions including applications below grade. Suitable for use near salt water, water features, and in areas where blowing sand is a concern. www.stoneyard.com/hca

FLAT DETAIL



CORNER DETAIL



INSTALLATION

Thin Veneer installation information is available on our website www.stoneyard.com/install. A mock-up is recommended to help in all design decisions including grout color, joint size (dry-laid, standard, or wide), and desired finish. www.stoneyard.com/mortar


LEED® CERTIFICATION & ENERGY EFFICIENCY

Whether it's for a commercial building or historical restoration, this natural building material can assist with the LEED certification. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency. www.stoneyard.com/architect

CORNERS

Matching 90° corners are available in all colors and shapes. When other angles are needed, the installation options are weaving (alternating flats) or miter cutting flat pieces to wrap the corner. www.stoneyard.com/corner

Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.



DESCRIPTION

Greenwich Gray™ Square & Rectangular Thin Veneer pieces are roughly square and roughly rectangular in shape. Greenwich Gray is a natural stone with consistent steel blue and gray coloring. Subtle stripes of white and green add character and depth. The natural face shows the weathered exterior of the stone adding shades of tan and beige. Sold as individual stones not stone panels.

DIMENSIONS

Facing Area: 0.25–1.25 SF
Size Range: (4.5 inches x 8 inches) to (11 inches x 16 inches)
Thickness: 1 inch +/- ¼ inch
Weight: Less than 14 lbs per SF

PACKAGING

Flat Crate: 168 SF (SKU# VTRGFW)
Flat Box: 5 SF (SKU# VTRGFS)
Corner Crate: 150 LF (SKU# VTRGCW)
Corner ½ Crate: 75 LF (SKU# VTRGCH)
Corner Box: 5 LF (SKU# VTRGCS)


PROFILE

Colors: Gray, blue, white, green
Finish: Natural, aged face



APPLICATIONS

This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest hot, cold, or wet climates. Perfect for interior and exterior use in all regions including applications below grade. Suitable for use near salt water, water features, and in areas where blowing sand is a concern. www.stoneyard.com/hca

FLAT DETAIL



CORNER DETAIL



INSTALLATION

Thin Veneer installation information is available on our website www.stoneyard.com/install. A mock-up is recommended to help in all design decisions including grout color, joint size (dry-laid, standard, or wide), and desired finish. www.stoneyard.com/mortar

LEED® CERTIFICATION & ENERGY EFFICIENCY

Whether it's for a commercial building or historical restoration, this natural building material can assist with the LEED certification. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency. www.stoneyard.com/architect

CORNERS

Matching 90° corners are available in all colors and shapes. When other angles are needed, the installation options are weaving (alternating flats) or miter cutting flat pieces to wrap the corner. www.stoneyard.com/corner

Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.