



DESCRIPTION

Colonial Tan™ LedgeStone Thin Veneer is a natural stone that consists of radiant browns, beiges, tans, and light grays accentuated by gold and silver specks. These earthy tan colors give your project a fresh, unmistakable look. The LedgeStone pattern of stone veneer consists of thin strips of natural stone. Sold as individual stones not stone panels.

DIMENSIONS

| | |
|-------------------|-------------------------|
| Height: | 1–4 inches |
| Length: | 4–12 inches |
| Thickness: | 1 inch +/- ¼ inch |
| Weight: | Less than 14 lbs per SF |

PACKAGING

| | | |
|------------------------|--------|---------------|
| Flat Crate: | 168 SF | (SKU# VTLCFW) |
| Flat Box: | 5 SF | (SKU# VTLCS) |
| Corner Crate: | 150 LF | (SKU# VTLCCW) |
| Corner ½ Crate: | 75 LF | (SKU# VTLCC) |
| Corner Box: | 5 LF | (SKU# VTLCCS) |


PROFILE

| | |
|----------------|-------------------------------------|
| Colors: | Brown, beige, tan, gold, light gray |
| Finish: | Split, textured face |



APPLICATIONS

This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest hot, cold, or wet climates. Perfect for interior and exterior use in all regions including applications below grade. Suitable for use near salt water, water features, and in areas where blowing sand is a concern.
www.stoneyard.com/hca

FLAT DETAIL



CORNER DETAIL



INSTALLATION

Thin Veneer installation information is available on our website www.stoneyard.com/install. A mock-up is recommended to help in all design decisions including grout color, joint size (dry-laid, standard, or wide), and desired finish.
www.stoneyard.com/mortar

LEED® CERTIFICATION & ENERGY EFFICIENCY

Whether it's for a commercial building or historical restoration, this natural building material can assist with the LEED certification. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency.
www.stoneyard.com/architect

CORNERS

Matching 90° corners are available in all colors and shapes. When other angles are needed, the installation options are weaving (alternating flats) or miter cutting flat pieces to wrap the corner.
www.stoneyard.com/corner

Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.



DESCRIPTION

Colonial Tan™ Mosaic Thin Veneer consists of irregular pieces of natural stone. Shapes are primarily triangles and stop signs, similar to the mosaic dimensions created from broken ice. It contains radiant browns, beige, tan, and light gray colors that are accentuated by gold and silver specks. Sold as individual stones not stone panels.

DIMENSIONS

| | |
|---------------------|--|
| Facing Area: | 0.25–1.25 SF |
| Size Range: | (4.5 inches x 8 inches) to (11 inches x 16 inches) |
| Thickness: | 1 inch +/- ¼ inch |
| Weight: | Less than 14 lbs per SF |

PACKAGING

| | | |
|------------------------|--------|---------------|
| Flat Crate: | 168 SF | (SKU# VTMCFW) |
| Flat Box: | 5 SF | (SKU# VTMCF5) |
| Corner Crate: | 150 LF | (SKU# VTMCCW) |
| Corner ½ Crate: | 75 LF | (SKU# VTMCC5) |
| Corner Box: | 5 LF | (SKU# VTMCCS) |


PROFILE

| | |
|----------------|-------------------------------------|
| Colors: | Brown, beige, tan, gold, light gray |
| Finish: | Natural, aged face |



APPLICATIONS

This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest hot, cold, or wet climates. Perfect for interior and exterior use in all regions including applications below grade. Suitable for use near salt water, water features, and in areas where blowing sand is a concern. www.stoneyard.com/hca

FLAT DETAIL



CORNER DETAIL



INSTALLATION

Thin Veneer installation information is available on our website www.stoneyard.com/install. A mock-up is recommended to help in all design decisions including grout color, joint size (dry-laid, standard, or wide), and desired finish. www.stoneyard.com/mortar

LEED® CERTIFICATION & ENERGY EFFICIENCY

Whether it's for a commercial building or historical restoration, this natural building material can assist with the LEED certification. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency. www.stoneyard.com/architect

CORNERS

Matching 90° corners are available in all colors and shapes. When other angles are needed, the installation options are weaving (alternating flats) or miter cutting flat pieces to wrap the corner. www.stoneyard.com/corner

Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.



DESCRIPTION

Colonial Tan™ Ashlar Thin Veneer is taller than Ledgerstone veneer with a roughly rectangular shape. Its face has been split revealing the vibrant and more varied colors of the inside grain of the stone. Colonial Tan™ is a natural stone that consists of radiant browns, beiges, tans, and light grays accentuated by gold and silver specks. These earthy tan colors give your project a fresh, unmistakable look. Sold as individual stones not stone panels

DIMENSIONS

| | |
|-------------------|-------------------------|
| Height: | 3–7 inches |
| Length: | 4–14 inches |
| Thickness: | 1 inch +/- ¼ inch |
| Weight: | Less than 14 lbs per SF |

PACKAGING

| | | |
|------------------------|--------|---------------|
| Flat Crate: | 168 SF | (SKU# VTACFW) |
| Flat Box: | 5 SF | (SKU# VTACFS) |
| Corner Crate: | 150 LF | (SKU# VTACCW) |
| Corner ½ Crate: | 75 LF | (SKU# VTACCH) |
| Corner Box: | 5 LF | (SKU# VTACCS) |


PROFILE

| | |
|----------------|-------------------------------------|
| Colors: | Brown, beige, tan, gold, light gray |
| Finish: | Split, textured face |



APPLICATIONS

This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest hot, cold, or wet climates. Perfect for interior and exterior use in all regions including applications below grade. Suitable for use near salt water, water features, and in areas where blowing sand is a concern. www.stoneyard.com/hca

FLAT DETAIL



CORNER DETAIL



INSTALLATION

Thin Veneer installation information is available on our website www.stoneyard.com/install. A mock-up is recommended to help in all design decisions including grout color, joint size (dry-laid, standard, or wide), and desired finish. www.stoneyard.com/mortar

LEED® CERTIFICATION & ENERGY EFFICIENCY

Whether it's for a commercial building or historical restoration, this natural building material can assist with the LEED certification. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency. www.stoneyard.com/architect

CORNERS

Matching 90° corners are available in all colors and shapes. When other angles are needed, the installation options are weaving (alternating flats) or miter cutting flat pieces to wrap the corner. www.stoneyard.com/corner

Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.

Colonial Tan™ Square & Rectangular

PRODUCT SPECIFICATION & DATA SHEET

STONEYARD
New England Stone Veneer



DESCRIPTION

Colonial Tan™ Square & Rectangular Thin Veneer stones are roughly square and roughly rectangular in shape. Colonial Tan™ is a natural stone that consists of radiant browns, beiges, tans, and light grays accentuated by gold and silver specks. These earthy tan colors give your project a fresh, unmistakable look. Sold as individual stones not stone panels.

DIMENSIONS

Facing Area: 0.25–1.25 SF
Size Range: (4.5 inches x 8 inches) to (11 inches x 16 inches)
Thickness: 1 inch +/- ¼ inch
Weight: Less than 14 lbs per SF

PACKAGING

Flat Crate: 168 SF (SKU# VTRCFW)
Flat Box: 5 SF (SKU# VTRCFS)
Corner Crate: 150 LF (SKU# VTRCCW)
Corner ½ Crate: 75 LF (SKU# VTRCCH)
Corner Box: 5 LF (SKU# VTRCCS)


PROFILE

Colors: Brown, beige, tan, gold, light gray
Finish: Natural, aged face


APPLICATIONS

This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest hot, cold, or wet climates. Perfect for interior and exterior use in all regions including applications below grade. Suitable for use near salt water, water features, and in areas where blowing sand is a concern. www.stoneyard.com/hca

FLAT DETAIL



CORNER DETAIL



INSTALLATION

Thin Veneer installation information is available on our website www.stoneyard.com/install. A mock-up is recommended to help in all design decisions including grout color, joint size (dry-laid, standard, or wide), and desired finish. www.stoneyard.com/mortar

LEED® CERTIFICATION & ENERGY EFFICIENCY

Whether it's for a commercial building or historical restoration, this natural building material can assist with the LEED certification. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency. www.stoneyard.com/architect

CORNERS

Matching 90° corners are available in all colors and shapes. When other angles are needed, the installation options are weaving (alternating flats) or miter cutting flat pieces to wrap the corner. www.stoneyard.com/corner

Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.



DESCRIPTION

Colonial Tan™ Round Thin Veneer has the irregular outside shape of a smooth mosaic pattern, with the depth and impact of rounded stones. Its rustic qualities lend themselves well to an Old-World style. Colonial Tan™ is a natural stone that consists of radiant browns, beiges, tans, and light grays accentuated by gold and silver specks. These earthy tan colors give your project a fresh, unmistakable look. Sold as individual stones not stone panels.

DIMENSIONS

| | |
|---------------------|--|
| Facing Area: | 0.25–1.25 SF |
| Size Range: | (6 inches x 6 inches) to (11 inches x 16 inches) |
| Thickness: | 1 inch +/- ¼ inch |
| Weight: | Less than 14 lbs per SF |

PACKAGING

| | | |
|------------------------|--------|---------------|
| Flat Crate: | 168 SF | (SKU# VTDCFW) |
| Flat Box: | 5 SF | (SKU# VTDCFS) |
| Corner Crate: | 150 LF | (SKU# VTDCCW) |
| Corner ½ Crate: | 75 LF | (SKU# VTDCCH) |
| Corner Box: | 5 LF | (SKU# VTDCCS) |


PROFILE

| | |
|----------------|-------------------------------------|
| Colors: | Brown, beige, tan, gold, light gray |
| Finish: | Natural, aged face |



APPLICATIONS

This product is HCA (Harsh Climate Approved). It has been subjected to numerous freeze-thaw cycles and can withstand the harshest hot, cold, or wet climates. Perfect for interior and exterior use in all regions including applications below grade. Suitable for use near salt water, water features, and in areas where blowing sand is a concern. www.stoneyard.com/hca

FLAT DETAIL



CORNER DETAIL



INSTALLATION

Thin Veneer installation information is available on our website www.stoneyard.com/install. A mock-up is recommended to help in all design decisions including grout color, joint size (dry-laid, standard, or wide), and desired finish. www.stoneyard.com/mortar

LEED® CERTIFICATION & ENERGY EFFICIENCY

Whether it's for a commercial building or historical restoration, this natural building material can assist with the LEED certification. Functionally, stone will retain heat in the winter and cold in the summer, enhancing energy efficiency. www.stoneyard.com/architect

CORNERS

Matching 90° corners are available in all colors and shapes. When other angles are needed, the installation options are weaving (alternating flats) or miter cutting flat pieces to wrap the corner. www.stoneyard.com/corner

Natural stone varies in color, veining, and pattern from piece to piece. STONEYARD® is not responsible for photos used in color literature, on websites, or in emails to accurately reflect actual material. Photos are used to create a general idea or feel for the material and cannot be used for color matching.