

DESCRIPTION

Modern Ledge features clean lines and lightly textured pieces with consistent sizing, creating a luxurious modern look. Ashland consists of a range of cool greys with subtle variations and veins.

STONE TYPE

Sandstone

WATER ABSORPTION 1.09%

SPECIFIC GRAVITY 2.61

DENSITY 162.66 lbs./cu. ft.

SIZE DETAILS

FLATS: SIZE RANGE Height: 6" Length: 30"

CORNERS: SIZE RANGE Corners Not Available

TYPICAL THICKNESS

Thickness: 22 mm

PACKAGING DETAILS

PALLETS

Flats: 75 Pieces Corners: Not Available

All sizes are approximate and may vary depending on availability of raw material. Pieces are cut to a tolerance of 1/16" +/-. A small percentage of pieces may exceed this tolerance



Austin Rustic Ashlar Thin Veneer



Photo Shows Installation With Mortar Joint

DESCRIPTION

Austin Rustic Ashlar is a medium sized ashlar style stone with some irregularity. It has a cream color that imitates the colors found on old limestone buildings and has a rough limestone face. It is typically installed with a mortar joint, but it may be installed in a dry-stacked style with additional cutting and fitting.

STONE TYPE Limestone

WATER ABSORPTION 0.36%

SPECIFIC GRAVITY 2.7

DENSITY 168.56 lbs./cu. ft.

SIZE DETAILS

FLATS: SIZE RANGE

Height: 2" to 12" Length: 4" to 15"

CORNERS: SIZE RANGE

Short Return: 2" to 3.5" **Long Return:** 4" to 11.5"

> TYPICAL THICKNESS Thickness: 0.75" to 1.75"

PACKAGING DETAILS

CRATES Flats: 150 Square Feet Corners: 100 Lineal Feet

SMALL BOXES

Flats: 8 Square Feet Corners: 6 Lineal Feet

All sizes are approximate and may vary depending on availability of raw material.

STONEYARD Colonial Creek Mosaic Thin Veneer



DESCRIPTION

Colonial Creek Mosaic is an irregular mosaic that imitates the look associated with traditional fieldstones. It features stunning gold colors with silver undertones that shimmer. It is typically installed with a mortar joint.

STONE TYPE Quartzite

WATER ABSORPTION

SPECIFIC GRAVITY TBD

DENSITY TBD

SIZE DETAILS

FLATS: SIZE RANGE Diagonal: 2.5" to 19"

CORNERS: SIZE RANGE Short Return: 2" to 5" Long Return: 4" to 8.5"

TYPICAL THICKNESS Thickness: 0.75" to 1.75"

PACKAGING DETAILS

CRATES Flats: 100 Square Feet Corners: 60 Lineal Feet

SMALL BOXES Flats: 8 Square Feet Corners: 6 Lineal Feet

All sizes are approximate and may vary depending on availability of raw material.



Colonial Creek Stacked Stone Thin Veneer



DESCRIPTION

Colonial Creek Stacked Stone is an irregular style ledgestone. It features stunning gold colors with silver and cream undertones that shimmer. It can be installed most easily with a thin mortar joint, but it may be installed in a dry-stacked style with additional cutting and fitting.

STONE TYPE Quartzite

WATER ABSORPTION TBD

SPECIFIC GRAVITY

density TBD

SIZE DETAILS

FLATS: SIZE RANGE

Height: 3" to 5.5" Length: 4" to 15"

CORNERS: SIZE RANGE Short Return: 1.5" to 3.5"

Long Return: 3.5" to 7"

TYPICAL THICKNESS Thickness: 0.75" to 1.75"

PACKAGING DETAILS

CRATES Flats: 100 Square Feet Corners: 60 Lineal Feet

SMALL BOXES Flats: 8 Square Feet Corners: 6 Lineal Feet

All sizes are approximate and may vary depending on availability of raw material.



Cottage Standard Cut Thin Veneer



Photo Shows Dry-Stacked Installation

DESCRIPTION

Cottage Standard Cut features rectangular pieces with clean and smooth edges. Its rough textured surface creates a natural, weathered appearance with subtle tones of cream and white. It has a mix of pre-selected sizes allowing for easier installation with minimal cutting. It is often installed in a dry-stacked style, but it can be installed with a mortar joint.

STONE TYPE	SI	ZE RANGE	
Travertine	FLATS		CORNERS
	Height: 2", 3", 4", 6	" Short	Return: 4"
WATER ABSORPTION	Length: 4" to 16"	Long	Return: 6"
1.37%	Thickness: 0.75" to 1.25"		1.25″
SPECIFIC GRAVITY	Height Percentages: 2" ^Percentages are approximat	(8%), 3″ (22%), 4 e and may vary. Applies	" (20%), 6" (50%) to both flats and corners.
2.53	PACKAGING DETAILS		
		FLATS	CORNERS
DENSITY	CRATES	142 sq. ft.	118 In. ft.
157.82 lbs./ft. ³	SMALL BOXES	l.736 sq. ft.	1.968 ln. ft.

All sizes are approximate and may vary depending on availability of raw material. Pieces are cut to a tolerance of 1/16" +/-. A small percentage of pieces may exceed this tolerance.



Everest Standard Cut Thin Veneer



Photo Shows Dry-Stacked Installation

DESCRIPTION

Everest features a subtle blend of white, cream, and light grey colors. It also contains subtle brown veining. **Standard Cut** pieces are cut to a uniform height of 3" and have varying lengths. All edges are sawn, creating a clean and modern appearance and simplifying installation. It is designed to be installed in a dry-stacked style.

STONE TYPE		SIZE RANGE	
Quartzite	FLATS		CORNERS
	Height: 3"	Shor	t Return: 3" to 6"
WATER ABSORPTION	Length: 6" to 18	" Long	gReturn: 6" to 9"
TBD	Th	ickness: 0.75" to	o 1.5 <i>"</i>
SPECIFIC GRAVITY	PAC	KAGING DET	AILS
TBD		FLATS	CORNERS
	CRATES	100 sq. ft.	65 ln. ft.
DENSITY	SMALL BOXES	8 sq. ft.	6 In. ft.
TBD			
	All sizes are approximate and m	nay vary depending c	on availability of raw material.



Hudson Valley Rustic Ashlar Thin Veneer



DESCRIPTION Hudson Valley Rustic Ashlar Thin Veneer

stone type TBD

WATER ABSORPTION TBD%

SPECIFIC GRAVITY TBD

DENSITY TBD lbs./cu. ft.

SIZE DETAILS

FLATS: SIZE RANGE

Height: 2" to 7" Length: 5" to 17"

CORNERS: SIZE RANGE Short Return: 3" to 5" Long Return: 8" to 10"

TYPICAL THICKNESS Thickness: 0.75" to 1.25" Photo Shows Installation With Mortar Joint

PACKAGING DETAILS

CRATES

Flats: 108 Square Feet Corners: 50 Lineal Feet

SMALL BOXES Flats: 8 Square Feet

Corners: 6 Lineal Feet

All sizes are approximate and may vary depending on availability of raw material.



Monadnock Precision Cut Thin Veneer



Photo Shows Dry-Stacked Installation

DESCRIPTION

Monadnock features a color range of dark greys and blacks with occasional cream and brown colored pieces. **Precision Cut** features set heights at 2", 3", and 5" to allow for quicker installation and a sleek contemporary look. Each piece has sawn top and bottom edges with snapped ends. It is traditionally installed in a dry-stacked style.

STONE TYPE		SIZE RANGE	
Granite	FLATS		CORNERS
	Height: 2", 3", 5	" Shor	t Return: 2.75" to 6"
WATER ABSORPTION	Length: 4" to 20	" Long	g Return: 4" to 8"
0.23%	Th	ickness: 0.75" to	o 1.375″
SPECIFIC GRAVITY	PAC	KAGING DET	AILS
2.75		FLATS	CORNERS
	CRATES	100 sq. ft.	65 In. ft.
DENSITY	SMALL BOXES	8 sq. ft.	6 In. ft.
171.79 lbs./ft. ³	All sizes are approximate and m	nav varv dependina o	on availability of raw materia

All sizes are approximate and may vary depending on availability of raw material. Pieces are cut to a tolerance of 1/16" +/-. A small percentage of pieces may exceed this tolerance



Monadnock Sq & Rec Thin Veneer



Photo Shows Installation With Mortar Joint

DESCRIPTION

Monadnock Sq & Rec features large format square and rectangular shaped pieces. It has varying shades of dark greys and blacks with subtle undertones of cream and white. In the Sq & Rec profile, Monadnock color does not generally have brown pieces, but they may occasionally be present. It is typically installed with a mortar joint, but it may be installed in a dry-stacked style with additional cutting and fitting.

STONE TYPE		SIZE RANGE	
Granite	FLATS		CORNERS
	Height: 6" to 12.	5″ Short	t Return: 2.75" to 6"
WATER ABSORPTION	Length: 8" to 21.	5″ Long	Return: 4" to 9"
0.23%	Th	ickness: 0.75" to	0 1.375"
SPECIFIC GRAVITY	PAC	KAGING DET	AILS
2.75		FLATS	CORNERS
	CRATES	100 sq. ft.	65 ln. ft.
DENSITY	SMALL BOXES	N/A	6 In. ft.
171.79 lbs./ft. ³			
	All sizes are approximate and m	av varv dependina c	on availability of raw materia

All sizes are approximate and may vary depending on availability of raw material.



Pasadena Precision Cut Thin Veneer



Photo Shows Dry-Stacked Installation

DESCRIPTION

Pasadena features a color range of light to medium blue grey tones with some cream and subtle tan colors. **Precision Cut** features set heights at 2", 3", and 5" to allow for quicker installation and a sleek contemporary look. Each piece has sawn top and bottom edges with snapped ends. It is traditionally installed in a dry-stacked style.

stone type TBD

WATER ABSORPTION TBD

SPECIFIC GRAVITY TBD

DENSITY TBD

SIZE DETAILS

FLATS: SIZE RANGE Height: 2", 3", 5" Length: 3" to 15"

CORNERS: SIZE RANGE Short Return: 2" to 4"

Long Return: 5" to 8"

TYPICAL THICKNESS Thickness: 0.625" - 1.25"

PACKAGING DETAILS

CRATES Flats: 100 Square Feet Corners: 65 Lineal Feet

SMALL BOXES Flats: 8 Square Feet Corners: 6 Lineal Feet

All sizes are approximate and may vary depending on availability of raw material. Pieces are cut to a tolerance of 1/16" +/-. A small percentage of pieces may exceed this tolerance.



Shadow Mountain Mosaic Thin Veneer



Photo Shows Installation With Mortar Joint

DESCRIPTION Shadow Mountain Mosaic

STONE TYPE Quartzite

WATER ABSORPTION TBD%

SPECIFIC GRAVITY

DENSITY TBD lbs./cu. ft.

SIZE DETAILS

FLATS: SIZE RANGE Diagonal: 4" to 15"

CORNERS: SIZE RANGE Short Return: 3" to 6"

Long Return: 6" to 12"

TYPICAL THICKNESS Thickness: 0.75" to 1.25"

PACKAGING DETAILS

CRATES Flats: 200 Square Feet Corners: 100 Lineal Feet

SMALL BOXES Flats: 8 Square Feet Corners: 6 Lineal Feet

All sizes are approximate and may vary depending on availability of raw material.



Shadow Mountain Rustic Ashlar Thin Veneer



DESCRIPTION

Shadow Mountain Rustic Ashlar.

STONE TYPE Quartzite

WATER ABSORPTION

SPECIFIC GRAVITY

DENSITY TBD lbs./cu. ft.

SIZE DETAILS

FLATS: SIZE RANGE

Height: 4" to 15" Length: 4" to 15"

CORNERS: SIZE RANGE Short Return: 3" to 6" Long Return: 6" to 12"

TYPICAL THICKNESS

Thickness: 0.75" to 1.25"

Photo Shows Installation With Mortar Joint

PACKAGING DETAILS

CRATES

Flats: 200 Square Feet Corners: 100 Lineal Feet

SMALL BOXES

Flats: 8 Square Feet Corners: 6 Lineal Feet

All sizes are approximate and may vary depending on availability of raw material.



Shadow Mountain Stacked Stone Thin Veneer



Photo Shows Dry-Stacked Installation

DESCRIPTION Shadow Mountain Stacked Stone

STONE TYPE Quartzite

WATER ABSORPTION TBD%

SPECIFIC GRAVITY TBD

DENSITY TBD lbs./cu. ft.

SIZE DETAILS

FLATS: SIZE RANGE Height: 2" to 5" Length: 4" to 24"

CORNERS: SIZE RANGE

Short Return: 3" to 6" **Long Return:** 7" to 12"

> TYPICAL THICKNESS Thickness: 0.75" to 1.25"

PACKAGING DETAILS

CRATES Flats: 200 Square Feet Corners: 100 Lineal Feet

SMALL BOXES

Flats: 8 Square Feet Corners: 6 Lineal Feet

All sizes are approximate and may vary depending on availability of raw material.



Steel Bay Mosaic Thin Veneer



Photo Shows Installation With Mortar Joint

DESCRIPTION

Steel Bay Mosaic is an irregular mosaic that imitates the look associated with traditional fieldstones. It features a vast array of sizes and shapes in a range of medium to dark blue-greys with subtle creams and browns. It is typically installed with a mortar joint.

STONE TYPE

SIZE RANGE

Quartzite

WATER ABSORPTION

Diagonal: 8" to 20"

FLATS

Short Return: 4" to 8" Long Return: 6" to 12"

CORNERS

Thickness: 0.75" to 1.5"

PACKAGING DETAILS

FLATS

SPECIFIC GRAVITY

2.86

0.09%

DENSITY

178.45 lbs./ft.³

CRATES
SMALL BOXES

100 sq. ft. 8 sq. ft. **CORNERS** 65 In. ft. 6 In. ft.

All sizes are approximate and may vary depending on availability of raw material.



DESCRIPTION

Steel Bay Rustic Ashlar is a medium to large sized ashlar style stone with predominately rectangular pieces. It features varying shades of medium to dark blue-greys with subtle tans and creams. It is typically installed with a mortar joint, but it may be installed in a dry-stacked style with additional cutting and fitting.

STONE TYPE

Quartzite

WATER ABSORPTION

SPECIFIC GRAVITY 2.86

DENSITY 178.45 lbs./cu. ft.

SIZE DETAILS

FLATS: SIZE RANGE

Height: 2" to 8" Length: 6" to 18"

CORNERS: SIZE RANGE

Short Return: 4" to 8" **Long Return:** 6" to 9.5"

TYPICAL THICKNESS

Thickness: 0.75" to 1.5"

PACKAGING DETAILS

CRATES

Flats: 100 Square Feet Corners: 65 Lineal Feet

SMALL BOXES Flats: 8 Square Feet Corners: 6 Lineal Feet

All sizes are approximate and may vary depending on availability of raw material.



Steel Bay Sq & Rec Thin Veneer



Photo Shows Installation With Mortar Joint

DESCRIPTION

Steel Bay Sq & Rec features large format square and rectangular pieces. It has varying shades of medium to dark bluegreys with subtle tans and creams. It is typically installed with a mortar joint, but it may be installed in a dry-stacked style with additional cutting and fitting.

STONE TYPE Quartzite

WATER ABSORPTION

SPECIFIC GRAVITY 2.86

DENSITY 178.45 lbs./cu. ft.

SIZE DETAILS

FLATS: SIZE RANGE

Height: 6" to 12" Length: 8" to 21.5"

CORNERS: SIZE RANGE

Short Return: 2.75" to 6" **Long Return:** 4" to 9"

TYPICAL THICKNESS

Thickness: 0.75" to 1.375"

PACKAGING DETAILS

CRATES Flats: 100 Square Feet

Corners: 65 Lineal Feet

SMALL BOXES Flats: 8 Square Feet Corners: 6 Lineal Feet

All sizes are approximate and may vary depending on availability of raw material.