

# SAFETY DATA SHEET

# 1. Identification

Product identifier	MVIS Hi-Bond Veneer Mortar
Other means of identification	Not available.
Recommended use	Masonry veneer mortar.
Recommended restrictions	Workers (and your customers or users in the case of resale) should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations.
Manufacturer/Importer/Supplier/Distributor information	

#### LATICRETE International **Company Name** Address 1 Laticrete Park, N Bethany, CT 06524 (203)-393-0010 Telephone **Contact person** Steve Fine Website www.laticrete.com **Emergency phone number** Call CHEMTREC day or night USA/Canada - 1.800.424.9300 Mexico - 1.800.681.9531 Outside USA/Canada

1.703.527.3887

#### 2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 1
	Sensitization, skin	Category 1
	Carcinogenicity	Category 1A
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
	Specific target organ toxicity, repeated exposure	Category 2 (lung)
OSHA defined hazards	Not classified.	
Label elements		
Signal word	Danger	
Hazard statement	Causes skin irritation. Causes serious eye dar cause cancer. May cause respiratory irritation. prolonged or repeated exposure.	nage. May cause an allergic skin reaction. May . May cause damage to organs (lung) through
Precautionary statement		
Prevention	and understood. Do not breathe dust/fume. W	handle until all safety precautions have been read ash thoroughly after handling. Use only outdoors or es/protective clothing/eye protection/face protection. red out of the workplace.
Response	If exposed or concerned: Get medical advice/a keep comfortable for breathing. If on skin: Was	attention. If inhaled: Remove person to fresh air and sh with plenty of water. If skin irritation or rash

occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal

Hazard(s) not otherwise

### 3. Composition/information on ingredients

Chemical name	CAS number %	
Silica Sand	14808-60-7 45 - 55	
Portland Cement	65997-15-1 40 - 45	
Calcium formate	544-17-2 0.7 - 1	
Composition comments	All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are percent by volume.	
4. First-aid measures		
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a physif symptoms develop or persist.	
Skin contact	Wash off with soap and plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.	
Eye contact	Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.	
Ingestion	Rinse mouth. Get medical attention if symptoms occur.	
Most important symptoms/effects, acute and delayed	Rash. Coughing. Irritant effects. Symptoms may include stinging, tearing, redness, swelling, a blurred vision. Permanent eye damage including blindness could result. Prolonged exposure cause chronic effects.	
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Symptoms may be delayed.	
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. IF exposed or concerned: Get medical advice/attention. Wash contamina clothing before reuse.	
5. Fire-fighting measures		
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).	
Unsuitable extinguishing media	None known.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
Fire-fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes.	
General fire hazards	No unusual fire or explosion hazards noted.	
6. Accidental release meas	sures	
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep upwind. Avoid formation of dust. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spille material unless wearing appropriate protective clothing. Ensure adequate ventilation.	
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Sweep or shovel up material and place in a cle labeled container for waste. Collect dust using a vacuum cleaner. Following product recovery flush area with water.	
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.	
7. Handling and storage		

Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Wear appropriate personal protective equipment. Do not breathe dust. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Observe good industrial hygiene practices.

MVIS Hi-Bond Veneer Mortar

# 8. Exposure controls/personal protection

#### **Occupational exposure limits**

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Portland Cement (CAS 65997-15-1)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
US. OSHA Table Z-3 (29 Cl	FR 1910.1000)		
Components	Туре	Value	Form
Portland Cement (CAS 65997-15-1)	TWA	50 mppcf	
Silica Sand (CAS 14808-60-7)	TWA	0.3 mg/m3	Total dust.
,		0.1 mg/m3	Respirable.
		2.4 millions of particle	Respirable.
US. ACGIH Threshold Lim	it Values		
Components	Туре	Value	Form
Portland Cement (CAS 65997-15-1)	TWA	1 mg/m3	Respirable fraction.
Silica Sand (CAS	TWA	0.025 mg/m3	Respirable fraction.
14808-60-7)		···	
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	Form
Portland Cement (CAS 65997-15-1)	TWA	5 mg/m3	Respirable.
		10 mg/m3	Total
Silica Sand (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.
logical limit values	No biological exposure limits noted for	or the ingredient(s).	
legieai inine talaee	Occupational exposure to nuisance (	dust (total and respirable) and re	spirable crystalline silica
oosure guidelines	should be monitored and controlled.		
-	should be monitored and controlled. Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main exposure limits have not been establ eyewash station.	applicable, use process enclosure tain airborne levels below recom	es, local exhaust ventilatior mended exposure limits. If
oosure guidelines propriate engineering trols	should be monitored and controlled. Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main exposure limits have not been establ	applicable, use process enclosure tain airborne levels below recom lished, maintain airborne levels te	es, local exhaust ventilatior mended exposure limits. If
oosure guidelines propriate engineering trols	should be monitored and controlled. Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main exposure limits have not been establ eyewash station.	applicable, use process enclosure ntain airborne levels below recom lished, maintain airborne levels te nent	es, local exhaust ventilatior mended exposure limits. If
oosure guidelines propriate engineering trols ividual protection measures Eye/face protection Skin protection	should be monitored and controlled. Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main exposure limits have not been establ eyewash station. <b>s, such as personal protective equipm</b> Wear safety glasses with side shield	applicable, use process enclosure ntain airborne levels below recom lished, maintain airborne levels te nent s (or goggles).	es, local exhaust ventilatior mended exposure limits. If
oosure guidelines propriate engineering trols ividual protection measures Eye/face protection	should be monitored and controlled. Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main exposure limits have not been establ eyewash station. s, such as personal protective equipm	applicable, use process enclosure ntain airborne levels below recom lished, maintain airborne levels te nent s (or goggles).	es, local exhaust ventilatior mended exposure limits. If
oosure guidelines propriate engineering trols ividual protection measures Eye/face protection Skin protection	should be monitored and controlled. Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main exposure limits have not been establ eyewash station. <b>s, such as personal protective equipm</b> Wear safety glasses with side shield Wear chemical-resistant, impervious Wear appropriate chemical resistant	applicable, use process enclosure ntain airborne levels below recom lished, maintain airborne levels to nent s (or goggles). gloves. clothing.	es, local exhaust ventilatior mended exposure limits. If
oosure guidelines propriate engineering trols ividual protection measures Eye/face protection Skin protection Hand protection	should be monitored and controlled. Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main exposure limits have not been establ eyewash station. <b>s, such as personal protective equipm</b> Wear safety glasses with side shield Wear chemical-resistant, impervious	applicable, use process enclosure ntain airborne levels below recom lished, maintain airborne levels to nent s (or goggles). gloves. clothing.	es, local exhaust ventilatior mended exposure limits. If
oosure guidelines propriate engineering trols ividual protection measures Eye/face protection Skin protection Hand protection Other	should be monitored and controlled. Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main exposure limits have not been establ eyewash station. <b>s, such as personal protective equipm</b> Wear safety glasses with side shield Wear chemical-resistant, impervious Wear appropriate chemical resistant	applicable, use process enclosure itain airborne levels below recom lished, maintain airborne levels to nent s (or goggles). gloves. clothing. ed above exposure limits.	es, local exhaust ventilation mended exposure limits. I

# 9. Physical and chemical properties

Appearance		
Physical state	Solid.	
Form	Powder.	
Color	Gray.	
MV/IC Hi Dand Vanaar Martar		

Odor	Odorless.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not flammable or combustible.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	1.2 - 1.5
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
VOC (Weight %)	0 %

# 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

# 11. Toxicological information

#### Information on likely routes of exposure

······································		
Ingestion	Swallowing may cause gastrointestinal irritation.	
Inhalation	Dust irritates the respiratory system, and may cause coughing and difficulties in breathing.	
Skin contact	Causes skin irritation. May cause an allergic skin reaction. Prolonged contact with wet cement/mixture may cause burns.	
Eye contact	Causes serious eye damage. Prolonged contact with wet cement/mixture may cause burns.	
Symptoms related to the physical, chemical and toxicological characteristics	Rash. Coughing. Irritant effects. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Prolonged exposure may cause chronic effects.	
Information on toxicological e	ffects	
Acute toxicity	May cause respiratory irritation.	
Skin corrosion/irritation	Causes skin irritation.	

Serious eye damage/eye irritation	Causes serious eye damage.	
Respiratory or skin sensitization	1	
<b>Respiratory sensitization</b>	No data available.	
Skin sensitization	May cause an allergic skin reaction.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	May cause cancer. In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk" (SCOEL SUM Doc 94-final, June 2003)	
IARC Monographs. Overall I Silica Sand (CAS 14808-6 NTP Report on Carcinogens		
Silica Sand (CAS 14808-6		
Reproductive toxicity	No data available.	
Specific target organ toxicity - single exposure	May cause respiratory irritation.	
Specific target organ toxicity - repeated exposure	May cause damage to organs (lung) through prolonged or repeated exposure.	
Aspiration hazard	Due to the physical form of the product it is not an aspiration hazard.	
Chronic effects	Prolonged or repeated exposure may cause lung injury, including silicosis.	
12. Ecological information	I	
Ecotoxicity	Not expected to be harmful to aquatic organisms.	
Persistence and degradability	No data is available on the degradability of this product.	
Bioaccumulative potential	No data available for this product.	
Mobility in soil	The product is not mobile in soil.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	
13. Disposal consideratior	IS	
Disposal instructions	Dispose of contents/container in accordance with local/regional/national/international regulations. Do not contaminate ponds, waterways or ditches with chemical or used container.	
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.	
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).	
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.	
<b>14. Transport information</b> <b>DOT</b> Not regulated as dangerous g	oods.	

# ΙΑΤΑ

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

#### 15. Regulatory information

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication **US** federal regulations Standard, 29 CFR 1910.1200. TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not regulated. US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed. CERCLA Hazardous Substance List (40 CFR 302.4) Not listed. Superfund Amendments and Reauthorization Act of 1986 (SARA) Hazard categories Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No SARA 302 Extremely hazardous substance Not listed. SARA 311/312 Hazardous Yes chemical SARA 313 (TRI reporting) Not regulated. Other federal regulations Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated. Not regulated. Safe Drinking Water Act (SDWA) **US** state regulations WARNING: This product contains chemical(s) known to the State of California to cause birth defects or other reproductive harm. **US. Massachusetts RTK - Substance List** Portland Cement (CAS 65997-15-1) Silica Sand (CAS 14808-60-7) US. New Jersey Worker and Community Right-to-Know Act Portland Cement (CAS 65997-15-1) Silica Sand (CAS 14808-60-7) US. Pennsylvania Worker and Community Right-to-Know Law Portland Cement (CAS 65997-15-1) Silica Sand (CAS 14808-60-7) **US. Rhode Island RTK** Not regulated. **US. California Proposition 65** WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm. US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance Silica Sand (CAS 14808-60-7) International Inventories Country(s) or region On inventory (yes/no)\* Inventory name Australia Australian Inventory of Chemical Substances (AICS) Yes Canada Domestic Substances List (DSL) Yes Canada Non-Domestic Substances List (NDSL) No

MVIS Hi-Bond Veneer Mortar

Country(s) or region	Inventory name	On inventory (yes/no)*
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date	20-May-2014
Revision date	-
Version #	01
NFPA Ratings	
References	HSDB® - Hazardous Substances Data Bank Registry of Toxic Effects of Chemical Substances (RTECS)
Disclaimer	The information in this (M)SDS was obtained from sources which we believe are reliable but cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or

warranty express or implied.